

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	47	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L20	1	L19 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L21	28	L19 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L22	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L23	0	L22 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L24	1	L22 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L25	1	L22 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L26	1	L22 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L27	17	L22 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L28	5	L22 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L29	40	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L30	7	L29 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L31	2	L30 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L32	14	L29 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L33	0	L22 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L34	28	L22 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L35	4	L34 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L36	2	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L37	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L38	7	L22 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L39	77	L22 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L40	5	L39 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L41	1	L22 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L42	1	L22 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L43	1	L22 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L44	9	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L45	1	L22 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L46	558	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L47	160	L46 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L48	79	L47 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L49	6	L48 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L50	1	L49 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L51	2	L22 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L52	0	L22 and tred depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L53	3	L22 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L54	2	L22 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L55	2	L22 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L56	14	L22 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L57	2	L22 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L58	2	L22 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L59	1	L22 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L60	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L61	101	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L62	35	L61 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L63	16	L62 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L64	93	L22 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L65	2	L64 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L66	5701	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L67	48	L66 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L68	32	L67 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L69	9	L22 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L70	1	L22 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L71	2	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L72	2	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L73	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L74	1330	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L75	20	L74 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L76	9	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L77	44	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L78	10	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L79	7	L22 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L80	182	L22 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L81	3	L22 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31



## EAST Search History

L82	2	L80 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L83	0	L22 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L84	5	L22 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L85	1	L22 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L86	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L87	1	L86 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L88	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L89	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31

## EAST Search History

L90	77	L89 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L91	0	L90 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L92	116	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L93	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L94	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L95	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L96	558	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L97	160	L96 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L98	79	L97 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L99	6	L98 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L100	101	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L101	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L102	2	L101 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L103	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L104	77	L103 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L105	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L106	1	L105 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L107	182	L101 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L108	116	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L109	47	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L110	28	L109 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L111	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L112	6	L98 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L113	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L114	0	L101 and array and ballance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L115	25	L101 and array and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L116	0	L101 and tred depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L117	5701	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L118	48	L117 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L119	32	L118 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L120	3	L101 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L121	5	L101 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L122	2	("4584469").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L123	1	L101 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L124	5	L101 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L125	2	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L126	1	L101 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L127	1	L101 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L128	17	L101 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L129	6	wheel balance and camera and correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L130	2	L101 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L131	28	L101 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L132	4	L131 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L133	1	L101 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L134	0	L101 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L135	7	L101 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L136	40	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L137	7	L136 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L138	2	L137 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L139	2	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L140	1	L101 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L141	1330	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L142	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L143	1	L99 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L144	93	L101 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31



## EAST Search History

L145	2	L144 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L146	3	L101 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L147	2	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L148	1	L101 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L149	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L150	0	L101 and array near2 image and ballance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L151	44	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L152	1	L101 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L153	13	L101 and camera and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L154	9	L101 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L155	0	L101 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L156	14	L101 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L157	10	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L158	7	L101 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L159	304	wheel alignment and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:37
L160	24	L159 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L161	2	L101 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L162	9	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L163	1	L101 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L164	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
L165	77	L101 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L166	35	L100 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L167	16	L166 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L168	2	L101 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L169	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L170	20	L141 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L171	0	L101 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L172	7	L136 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L173	2	L107 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L174	1	L101 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L175	2	L101 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L176	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

## EAST Search History

L177	1	L109 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L178	9	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L179	14	L136 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L180	0	L104 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L181	5	L165 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L182	1	L101 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
L183	20	wheel alignment and camera and image near4 rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:44
L184	20	wheel alignment and image near4 rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:45

## EAST Search History

L185	27	wheel alignment and imag\$4 near7 rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:45
------	----	--	---	------	----	------------------